

	Type	Hits	Search Text	DBs
119	BRS	0	((reconfigure or re-configure or reconfiguration or re-config\$7) near13 (network or node or LAN or WAN)) near30 ((change or replace or convert or interchange or chang\$5) near15 topology) and (topology adj (service\$5 or manager))	USPAT
120	BRS	4	((reconfigure or re-configure or reconfiguration or re-config\$7) near13 (network or node or LAN or WAN)) and ((change or replace or convert or interchange or chang\$5) near15 topology) and (topology adj (service\$5 or manager))	USPAT
121	BRS	6	((reconfigure or re-configure or reconfiguration or re-config\$7) and (network or node or LAN or WAN)) and ((change or replace or convert or interchange or chang\$5) near15 topology) and (topology adj (service\$5 or manager))	USPAT
122	IS&R	1	("6243746").PN.	USPAT; US-PGPU
123	BRS	22	((reconfigure or re-configure or reconfiguration or re-config\$7) and (network or node or LAN or WAN)) and ((change or replace or convert or interchange or chang\$5) near15 topology) and (topology near9 (service\$5 or manager))	USPAT
124	BRS	2851	(reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))	USPAT

	Time Stamp	Comments	Error Definition	Errors
119	2003/05/27 12:23			0
120	2003/05/27 12:27			0
121	2003/05/27 19:49			0
122	2003/05/27 12:4			0
123	2003/05/27 12:48			0
124	2003/05/27 13:26			0

	Type	Hits	Search Text	DBs
125	BRS	2	((reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))) same ((change or replace or convert or interchange or chang\$5) near15 topology)	USPAT
126	BRS	36	((reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))) same topology) and (quiescent or inactive or freeze or off or shutdown)	USPAT
127	BRS	63	((reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))) same topology	USPAT
128	BRS	455	((reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))) and topology	USPAT
129	BRS	294	((reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))) and topology) and (quiescent or inactive or freeze or off or shutdown)	USPAT

	Time Stamp	Comments	Error Definition	Errors
125	2003/05/27 13:32			0
126	2003/05/27 13:53			0
127	2003/05/27 13:53			0
128	2003/05/27 13:53			0
129	2003/05/27 13:54			0

	Type	Hits	Search Text	DBs
130	BRS	372	((reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))) and topology) and (quiescent or inactive or freeze or off or shutdown or failure)	USPAT
131	BRS	42	((((reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))) and topology) and (quiescent or inactive or freeze or off or shutdown or failure)) and (poll or probe or heartbeat or heart-beat)) and 709/\$	USPAT
132	BRS	94	((((reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))) and topology) and (quiescent or inactive or freeze or off or shutdown or failure)) and (poll or probe or heartbeat or heart-beat)	USPAT
133	BRS	126	((((reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))) and topology) and (quiescent or inactive or freeze or off or shutdown or failure)) and 709/\$	USPAT

	Time Stamp	Comments	Error Definition	Errors
130	2003/05/27 14:17			0
131	2003/05/27 14:07			0
132	2003/05/27 14:07			0
133	2003/05/27 14:18			0

	Type	Hits	Search Text	DBs
134	BRS	253	(((reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))) and topology) and (quiescent or inactive or freeze or off or shutdown or failure)) and monitor\$9	USPAT
135	BRS	208	(((reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))) and topology) and (quiescent or inactive or freeze or off or shutdown or failure)) and monitor\$9) and protocol	USPAT
136	BRS	56	((((reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))) and topology) and (quiescent or inactive or freeze or off or shutdown or failure)) and monitor\$9) and protocol) and ((change or replace or convert or interchange or chang\$5) same topology)	USPAT
137	BRS	194	((((reconfigure or re-configure or reconfiguration or re-config\$7 or config\$9 or update\$5) near13 ((individual or single or standalone or independent) near9 (node or link or port or swith or router))) and topology) and (quiescent or inactive or freeze or off or shutdown or failure)) and monitor\$9) and protocol) and (change or replace or convert or interchange or chang\$5)	USPAT
138	IS&R	1	("5630060").PN.	USPAT; US-PGPU

	Time Stamp	Comments	Error Definition	Errors
134	2003/05/27 14:20			0
135	2003/05/27 14:20			0
136	2003/05/27 17:28			0
137	2003/05/27 14:28			0
138	2003/05/27 17:1			0

	Type	Hits	Search Text	DBs
139	BRS	4	((reconfigure or re-configure or reconfiguration or re-config\$7) near30 (network or node or LAN or WAN)) and ((change or replace or convert or interchange or chang\$5) near15 topology) and (topology adj (service\$5 or manager))	USPAT
140	BRS	1016314	((individual or single or independenet or alone) near10 (node\$3 or junction\$3 or end-point)) near "20" \$3configur\$5	USPAT
141	BRS	1225	((individual or single or independenet or alone) near10 (node\$3 or junction\$3 or end-point)) near "20" \$3configur\$5) near3 (quiescent or inactive or freeze or idle or shutdown)	USPAT; US-PGPUB
142	BRS	890	((individual or single or independenet or alone) near10 (node\$3 or junction\$3 or end-point)) near20 \$3configur\$5	USPAT
143	BRS	1	((individual or single or independenet or alone) near10 (node\$3 or junction\$3 or end-point)) near20 \$3configur\$5) near13 (quiescent or inactive or freeze or idle or shutdown)	USPAT; US-PGPUB
144	BRS	8	((individual or single or independenet or alone) near10 (node\$3 or junction\$3 or end-point)) near20 \$3configur\$5) same (quiescent or inactive or freeze or idle or shutdown)	USPAT; US-PGPUB
145	BRS	190	((individual or single or independenet or alone) near10 (node\$3 or junction\$3 or end-point)) near20 \$3configur\$5) and topology	USPAT; US-PGPUB
146	BRS	77	((individual or single or independenet or alone) near10 (node\$3 or junction\$3 or end-point)) near20 \$3configur\$5) and topology) and (quiescent or inactive or freeze or idle or shutdown)	USPAT; US-PGPUB

	Time Stamp	Comments	Error Definition	Errors
139	2003/05/27 17:48			0
140	2003/05/27 17:33			0
141	2003/05/27 17:35			0
142	2003/05/27 17:34			0
143	2003/05/27 17:36			0
144	2003/05/27 18:35			0
145	2003/05/27 17:38			0
146	2003/05/27 17:48			0

	Type	Hits	Search Text	DBs
147	BRS	30	((individual or single or independent or alone) near10 (node\$3 or junction\$3 or end-point)) near20 \$3configur\$5) and ((change or replace or convert or interchange or chang\$5) near15 topology)	USPAT; US-PGPUB
148	BRS	105	((reconfigure or re-configure or reconfiguration or re-config\$7) near30 (network or node or LAN or WAN)) and ((change or replace or convert or interchange or chang\$5) near15 topology)	USPAT
149	BRS	40	((reconfigure or re-configure or reconfiguration or re-config\$7) near30 (network or node or LAN or WAN)) and ((change or replace or convert or interchange or chang\$5) near15 topology)) and (quiescent or inactive or freeze or idle or shutdown)	USPAT; US-PGPUB
150	BRS	5	((reconfigure or re-configure or reconfiguration or re-config\$7) near30 (individual or alone or single or independent) near20 (node or end-point or (end adj point) or junction)) and ((change or replace or convert or interchange or chang\$5) near15 topology)	USPAT
151	BRS	89	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) same (individual or alone or single or independent) same (node or end-point or (end adj point) or junction)) and ((change or replace or convert or interchange or chang\$5) near15 topology)	USPAT

	Time Stamp	Comments	Error Definition	Errors
147	2003/05/27 17:46			0
148	2003/05/27 17:50			0
149	2003/05/27 20:06			0
150	2003/05/27 17:53			0
151	2003/05/27 18:00			0

	Type	Hits	Search Text	DBs
152	BRS	31	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) same (individual or alone or single or independent) same (node or end-point or (end adj point) or junction)) and ((change or replace or convert or interchange or chang\$5) near15 topology)) and (quiescent or inactive or freeze or idle or shutdown)	USPAT; US-PGPUB
153	BRS	369	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near5 (individual or alone or single or independent) near9 (node or end-point or (end adj point) or junction))	USPAT
154	BRS	0	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near5 (individual or alone or single or independent) near9 (node or end-point or (end adj point) or junction))) near9 (quiescent or inactive or freeze or idle or shutdown)	USPAT; US-PGPUB
155	BRS	0	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near5 (individual or alone or single or independent) near9 (node or end-point or (end adj point) or junction))) near19 (quiescent or inactive or freeze or idle or shutdown)	USPAT; US-PGPUB
156	BRS	1	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near5 (individual or alone or single or independent) near9 (node or end-point or (end adj point) or junction))) same (quiescent or inactive or freeze or idle or shutdown)	USPAT; US-PGPUB

	Time Stamp	Comments	Error Definition	Errors
152	2003/05/27 17:57			0
153	2003/05/27 18:15			0
154	2003/05/27 18:02			0
155	2003/05/27 18:02			0
156	2003/05/27 18:03			0

	Type	Hits	Search Text	DBs
157	BRS	48	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near5 (individual or alone or single or independent) near9 (node or end-point or (end adj point) or junction)))) and (quiescent or inactive or freeze or idle or shutdown)) and topology	USPAT; US-PGPUB
158	BRS	140	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near5 (individual or alone or single or independent) near9 (node or end-point or (end adj point) or junction)))) and (quiescent or inactive or freeze or idle or shutdown)	USPAT; US-PGPUB
159	BRS	50	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near3 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) and 709/\$	USPAT
160	BRS	63	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near3 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) and (quiescent or inactive or freeze or idle or shutdown)	USPAT
161	BRS	0	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near3 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) near9 idle	USPAT
162	BRS	0	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near3 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) near9 idle	USPAT

	Time Stamp	Comments	Error Definition	Errors
157	2003/05/27 18:03			0
158	2003/05/27 18:10			0
159	2003/05/27 18:30			0
160	2003/05/27 18:36			0
161	2003/05/27 19:00			0
162	2003/05/27 19:00			0

	Type	Hits	Search Text	DBs
163	BRS	0	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near3 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) near9 (idle or (in-active) or (out adj of adj service) or (in adj active))	USPAT
164	BRS	0	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near3 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) same (idle or (in-active) or (out adj of adj service) or (in adj active))	USPAT
165	BRS	37	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near3 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) and (idle or (in-active) or (out adj of adj service) or (in adj active))	USPAT
166	BRS	96	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near3 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) and (idle or (in-active) or (out adj of adj service) or (in adj active) or shutdown or off or freeze)	USPAT
167	BRS	143	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near3 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction))	USPAT

	Time Stamp	Comments	Error Definition	Errors
163	2003/05/27 19:02			0
164	2003/05/27 19:02			0
165	2003/05/27 19:20			0
166	2003/05/27 19:09			0
167	2003/05/27 19:17			0

	Type	Hits	Search Text	DBs
168	BRS	552	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near20 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction))	USPAT
169	BRS	93	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near20 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) and (idle or (in-active) or (out adj of adj service) or (in adj active))	USPAT
170	BRS	93	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near20 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) and (idle or (in-active) or (out adj of adj service) or (in adj active))	USPAT; US-PGPUB
171	BRS	770	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near20 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction))	USPAT; US-PGPUB
172	BRS	0	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near20 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) near9 (idle or (in-active) or (out adj of adj service) or (in adj active))	USPAT; US-PGPUB

	Time Stamp	Comments	Error Definition	Errors
168	2003/05/27 19:21			0
169	2003/05/27 19:20			0
170	2003/05/27 19:25			0
171	2003/05/27 19:24			0
172	2003/05/27 19:26			0

	Type	Hits	Search Text	DBs
173	BRS	1	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near20 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) near39 (idle or (in-active) or (out adj of adj service) or (in adj active))	USPAT; US-PGPUB
174	BRS	1	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near20 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) same (idle or (in-active) or (out adj of adj service) or (in adj active))	USPAT; US-PGPUB
175	BRS	1	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near20 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) with (idle or (in-active) or (out adj of adj service) or (in adj active))	USPAT; US-PGPUB
176	BRS	51	(((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near20 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) and (idle or (in-active) or (out adj of adj service) or (in adj active))) and topolog\$3	USPAT; US-PGPUB
177	BRS	128	((((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5configur\$5) near20 (individual or alone or single or independent) near3 (node or end-point or (end adj point) or junction)))) and (idle or (in-active) or (out adj of adj service) or (in adj active))	USPAT; US-PGPUB

	Time Stamp	Comments	Error Definition	Errors
173	2003/05/27 19:26			0
174	2003/05/27 19:27			0
175	2003/05/27 19:28			0
176	2003/05/27 19:28			0
177	2003/05/27 19:35			0

	Type	Hits	Search Text	DBs
178	BRS	48	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5config\$9) and (node or junction or link or port)) and ((change or replace or convert or interchange or chang\$5) near15 topology) and (topology adj (service\$5 or manager))	USPAT; US-PGPUB
179	BRS	15	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5config\$9) near9 (node or junction or link or port)) and ((change or replace or convert or interchange or chang\$5) near15 topology) and (topology adj (service\$5 or manager))	USPAT; US-PGPUB
180	BRS	215	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5config\$9) near9 (node or junction or link or port)) and ((change or replace or convert or interchange or chang\$5) near15 topology)	USPAT; US-PGPUB
181	BRS	78	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5config\$9) near9 (node or junction or link or port)) and ((change or replace or convert or interchange or chang\$5) near15 topology)) and (quiescent or inactive or freeze or idle or shutdown)	USPAT; US-PGPUB
182	BRS	3	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5config\$9) near9 (node or junction or link or port)) near9 ((change or replace or convert or interchange or chang\$5) near15 topology)	USPAT; US-PGPUB
183	BRS	26	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5config\$9) near9 (node or junction or link or port)) same ((change or replace or convert or interchange or chang\$5) near15 topology)	USPAT; US-PGPUB
184	IS&R	1	("6108699").PN.	USPAT; US-PGPU
185	IS&R	1	("6243740").PN.	USPAT; US-PGPU

	Time Stamp	Comments	Error Definition	Errors
178	2003/05/27 19:55		Truncation overflow.	1
179	2003/05/27 20:03		Truncation overflow.	1
180	2003/05/27 20:13		Truncation overflow.	1
181	2003/05/27 20:06			0
182	2003/05/27 20:18		Truncation overflow.	1
183	2003/05/28 11:17		Truncation overflow.	1
184	2003/05/28 11:1			0
185	2003/05/28 11:1			0

	Type	Hits	Search Text	DBs
186	IS&R	1	("6243746").PN.	USPAT; US-PGPU
187	BRS	23	((reconfigure or re-configure or reconfiguration or re-config\$7 or \$5config\$9) near9 (node or junction or link or port)) same ((change or replace or convert or interchange or chang\$5) near15 topology) and protocol	USPAT; US-PGPUB
188	BRS	95	(heartbeat or probe or poll or (heart adj beat)) near7 (\$5configur\$7 near5 (node or junction or endpoint or end-poin))	USPAT; US-PGPUB
189	BRS	43	((heartbeat or probe or poll or (heart adj beat)) near7 (\$5configur\$7 near5 (node or junction or endpoint or end-poin))) and topology	USPAT; US-PGPUB
190	BRS	44	((heartbeat or probe or poll or (heart adj beat)) near7 protocol and (\$5configur\$7 near5 (node or junction or endpoint or end-poin))) and topology	USPAT; US-PGPUB
191	BRS	86	(heartbeat or probe or poll or (heart adj beat)) near7 protocol and (\$5configur\$7 near5 (node or junction or endpoint or end-poin))	USPAT; US-PGPUB

	Time Stamp	Comments	Error Definition	Errors
186	2003/05/28 11:1			0
187	2003/05/28 11:38		Truncation overflow.	1
188	2003/05/28 11:46			0
189	2003/05/28 11:41			0
190	2003/05/28 11:49			0
191	2003/05/28 11:50			0